

## APPENDIX D4

### Production Division

1	Minimum power factor for Major	Not applicable
2	Minimum power factor for Minor	125
3	Minimum bullet weight	No
4	Minimum bullet caliber / cartridge case length	9mm (0.354") / 19mm (0.748")
5	Minimum bullet caliber for Major	Not applicable
6	Minimum trigger pull (see Appendix F2)	2.27 kg (5lbs) for first shot
7	Maximum handgun size	Maximum barrel length 127mm (5")
8	Maximum magazine length	Yes, see below.
9	Maximum ammunition capacity	No
10	Max. distance of handgun and mags/speed loaders from torso	50mm
11	Rule 5.2.3.1 applies	Yes
12	Restriction on position of holster and other equipment	Yes, see below.
13	Optical/electronic sights permitted	No
14	Compensators, sound and/or flash suppressors permitted	No
15	Ports permitted	No

#### Special conditions:

16. Only handguns approved and listed on the IPSC website may be used in Production Division.
17. Single-action-only handguns are prohibited. Handguns with external hammers must be fully decocked. First shot attempted must be double action. Competitors in this Division who, after the issuance of the start signal and prior to attempting the first shot, cock the hammer on a handgun which has a loaded chamber, will incur one procedural penalty per occurrence. Note that a procedural penalty will not be assessed in respect of courses of fire where the ready condition requires the competitor to prepare the handgun with an empty chamber. In these cases, the competitor may fire the first shot single action.
18. Neither the handgun, nor any of its attachments, nor any allied equipment (e.g. magazines or other loading devices), can extend forward of the line illustrated in Appendix F3. Any such items a Range Officer deems not to be in compliance must be safely and promptly adjusted, failing which Rule 6.2.5.1 will apply.
19. Original parts and components offered by the OFM as standard equipment, or as an option, for a specific model handgun on the IPSC approved handgun list are permitted, subject to the following:
  - 19.1 Modifications to them, other than minor detailing, are prohibited. Prohibited modifications include changing the original color and/or finish of a handgun, and/or adding stripes or other embellishments.
  - 19.2 Base plates and/or any other devices which provide additional ammunition capacity (e.g. "+2" magazine extensions), are prohibited.
  - 19.3 Sights may be trimmed, adjusted and/or have sight black applied.
20. Aftermarket parts, components and accessories are prohibited, except as follows:
  - 20.1 Aftermarket magazines which match the external dimensions of standard magazines offered by the OFM for the approved handgun are permitted.
  - 20.2 Aftermarket sights of the same type and kind offered by the OFM for the approved handgun are permitted, provided their installation and/or adjustment requires no alteration to the handgun.
  - 20.3 Aftermarket grips which match the profile of the OFM standard for the approved handgun and/or the application of tape on grips is permitted, however, rubber sleeves are prohibited.
21. A competitor who fails to comply with any of the requirements above will be subject to Rule 6.2.5.1

## Frequently asked questions Production Division

### **1. Can Glocks compete using +2 baseplates or +1 followers? Can I use a Glock 17 magazine in my Glock 19 or Glock 26?**

No, to both questions. See Point 19.2 of Appendix D4 in the January 2006 Edition of the IPSC Handgun rulebook. All guns are approved with the standard magazine capacity quoted by the OFM, not with larger capacity magazines as may be supplied by importers or dealers in some markets.

### **2. Can a DA/SA pistol that is included on the approved Production Division list start a course of fire in single action mode (e.g. "cocked & locked")?**

No. See Point 17 of Appendix D4 in the January 2006 Edition of the IPSC Handgun rulebook.

### **3. Can I use my 1911 style SA pistol in Production Division?**

No. Single-action (1911) style pistols currently dominate Open, Standard and Modified Divisions. Production Division was created to accommodate all other styles.

### **4. Can I apply skateboard or grip tape to the factory grips, or change the grips, of my Production Division Pistol?**

Yes. See Point 20.3 of Appendix D4 in the January 2006 Edition of the IPSC Handgun rulebook.

### **5. My pistol has been fitted with an aftermarket trigger stop. Is this allowed?**

Models which have factory installed trigger stops are allowed. Otherwise, this modification is not allowed.

### **6. Can I replace the original 3-dot sights on my Glock 17 with aftermarket 3-dot fiber optic sights?**

Yes. You can now use any open sights. See item 11 in the official rule [interpretations](#) published on 31 July 2006.

### **7. Can I apply paint or sight black to my pistol?**

No, you can only apply sight back. See Point 19.3 of Appendix D4 in the January 2006 Edition of the IPSC Handgun rulebook.

### **8. Am I allowed to cock my SA/DA pistol for the first shot in a course of fire?**

No. The first shot in a course of fire must be double action. See Point 17 of Appendix D4 in the January 2006 Edition of the IPSC Handgun rulebook for the exception.

### **9. How will the trigger pull be measured at a competition?**

The test will usually be conducted during the chronograph stage at a match. See Appendix F2 in the January 2006 Edition of the IPSC Handgun rulebook for details of the test.

**10. Some pistols on the approved Production Division list do not have a de-cocking lever. Are they acceptable?**

Yes. All DA/SA pistols without a de-cocking lever must start with the hammer fully down. Under the supervision of a Range Officer, the competitor will use the weak hand to safely lower the hammer with the pistol pointing down range during the "load and make ready" procedure. A discharge during this procedure will be considered as unsafe gun handling and the competitor will be disqualified.

Also see question 8 above.

**11. Can we use a Glock models 34 and 35 as a Production Division pistol?**

Glock in their own advertising call them "long slides". They are special sporting handguns having a lighter trigger pull (3.5 lbs) and a longer barrel (135mm) out of the box. Maximum barrel length in Production Division is 127 mm (5").

The Production Division does not include special sporting models like the Glock 34 and 35, or the H&K USP Expert, or the Sig Sauer Sport II series if they differ in barrel length from the standard model (Glock 17, Sig Sauer 226, H&K USP).

"Production" does not necessarily mean that all pistols which are currently in production are legal for use in this division.

**12. Can 7 or 8 shot revolvers be used in Production Division and shot to capacity? In Revolver Standard Division, I can load to capacity, but I'm required to reload after firing 6 rounds.**

Sure. Both Taurus and S&W have 7 and 8 shot revolvers which have barrels less than 5". The models are listed in Production Division.

**13. I have found that there are after market magazines available for my approved Production Division pistol. These magazines have the same external dimensions as the original factory magazines but they sometimes hold more rounds. Can I use these magazines in Production Division?**

Yes. See Point 20.1 of Appendix D4 in the January 2006 Edition of the IPSC Handgun rulebook.

<b>Make</b>	<b>Model</b>
<a href="#">ALFA-PROJ</a>	Alfa Combat, Alfa Defender
ARCUS	98
ARMS MORAVIA	G2000
<a href="#">ARMSCOR</a>	AP9, AP9MS, APP9, APP9MS
ASAI AG	onePRO
<a href="#">ASTRA</a>	A75, A100
<a href="#">BAIKAL</a>	MP446
<a href="#">BERETTA</a>	<p>92 Series full size frame (including 92, 92D, 92DS, 92 F, 92FS, 92S, 92SB, 92SB-F, 92G-SD, 92FS Brigadier, 92FS Deluxe, 92G, 92G Elite, 92G Elite II, 92 FS Centurion, 92D Centurion, 92G Centurion, 92 Stock, 92EL, 90Two)</p> <p>92 Series Compact frame (including 92L Compact, 92SB Compact, 92 L Compact type M, 92SB compact type M, 92 Custom Carry)</p> <p>96 Series full size frame (including 96, 96D, 96DS, 96G, 96 Brigadier, 96 D Brigadier, 96G Brigadier, 96G Elite, 96G Elite II, 96G-SD, 96 Centurion, 96D Centurion, 96 Stock)</p> <p>96 Series Compact frame (including 96L Compact, 96L Compact type M, 96D Compact, 96D Compact Type M)</p> <p>98 Series (including 98F, 98FS, 98FS Brigadier, 98 Deluxe, 98 Stock)</p> <p>Vertec series (including 92G, 92FS, 92 Elite 1A, 92 Steel, 96G, 96FS, 96 Elite 1A, 96 Steel, 98 Steel)</p> <p>Cougar Series (including 8000 D/DL/FL/LP/Mini, 8040 D/F/Mini, 8045 D/F/Mini, 8357 D/F)</p> <p>9000S Series (including Type D &amp; F)</p> <p>PX4 Storm (Type F, G)</p> <p>Approved: Inox versions of approved models</p> <p>Not Approved: single-action only variants or laser equipped models</p>
<a href="#">BERNARDELLI</a>	2000, 2000 Baby
<a href="#">BERSA</a>	Thunder 9/Thunder 40, Mini T9/T40
<a href="#">BROWNING</a>	<p>BDM, BDA, PRO9, PRO40</p> <p>Not Approved: Hi-Power</p>
<a href="#">BUL</a>	Cherokee (full size, compact & mini), Impact, Storm
<a href="#">COLT</a>	<p>2000, Double Eagle</p> <p>(Any DAO or DA/SA revolver with a barrel length of up to 5" is approved)</p>

<a href="#">CZ - CESKÁ STRAKONICE</a>	ST9, TT9, TT40, TT45, MT9, MT9L
<a href="#">CZ - CESKA ZBROJOVKA</a>	CZ75, CZ75B, CZ75B Stainless, CZ75BD, CZ75BD Police, CZ75 Compact, CZ75D Compact, CZ75 SemiCompact, CZ75 Combat II, CZ85, CZ85B, CZ85 Combat  CZ40B, CZ97B, CZ99, CZ100, CZ100B, CZ101, CZ110, CZ2075 Rami, CZ2075 Rami P  CZ75 P01, CZ75 SP-01, CZ75 SP-01 Tactical, CZ75 SP-01 Shadow, CZ75 SP-01 Sport (9x21mm version with OFM trigger stop as sold in Italy)  (CZUSA Custom Shop CZ 75 SP-01 is not approved)
DAEWOO	DP51, DH40
<a href="#">DESERT EAGLE</a>	Eagle Compact, Baby Eagle
<a href="#">DLASK</a>	226 clone
<a href="#">EAA</a>	Witness (standard steel), Witness-P, Witness (decocker), Witness PS
<a href="#">FEG</a>	P9R, P9RK
<a href="#">FN HERSTAL</a>	FNP-9, FNP-9M, FNP-40, FNP-40M, FNP-9 DAO, FNP-40 DAO  (Models BDA9, BDA40 are still under evaluation)
<a href="#">GLOCK</a>	17, 19, 20, 21, 22, 23, 26, 27, 29, 30, 31, 32, 33, 36, 37, 38, 39  Also approved are variants with original Glock barrels which are longer than standard (e.g. 17A, 17DK, 17PRO), as well as variants with "Tactical", "Mariner" or similar OFM engravings on the slide, provided the barrel length does not exceed 127mm, and provided all other aspects of these variants fully comply with all other Production Division rules.  Not Approved: 18, 24, 25, 28, 34, 35, L and C models
<a href="#">GRAND POWER</a>	K100, K100MK6, K-100 Dynamic and P1
<a href="#">H&amp;K</a>	USP, USP Stainless, USP Compact, USP Compact Stainless, USP Custom Sport, USP9SD, USP Tactical (40SW only), USP Compact Tactical  VP70Z, P8, P9S (only with 100mm barrel), P10, P30, P2000 P2000SK  Not Approved: Mark 23, P7 Series, USP Elite, USP Expert, USP Production
HS PRODUKT	HS2000 Series (HS9, HS357, HS40, HS45)
<a href="#">IMI</a>	Barak 9, Barak 40, Barak 45
<a href="#">JERICO</a>	941, 941S, 941F, 941FS, 941FB, 941FBL
<a href="#">KAHR</a>	K Series (9mm,40cal, Lady & Elite), MK Series (9mm, 40cal, Micro & Elite), P Series (9mm and 40 cal), PM Series (9mm), T Series (Target & Tactical), TP Series
<a href="#">KEL-TEC</a>	P11, P40

LLAMA	M-82
<a href="#">MAGNUM RESEARCH</a>	SP21 (9mm,40SW,45ACP)
<a href="#">MANURHIN</a>	MR73 revolvers (3" G3 and 4" G4 models only)
<a href="#">NORINCO</a>	NC226, NP18, NP22, NP34, NP40, NZ75, NZ85
<a href="#">PARA-ORDNANCE</a>	LDA (all models except Tac-Five and other variants with enlarged magwells)
REPUBLIC ARMS	Patriot
<a href="#">RUGER</a>	P85, P89, KP89, P90, KP90, P91, KP93, P94, P95, K94/95, KP95, KP345, KP345PR, P97  (Any DAO or DA/SA revolver with a barrel length of up to 5" is approved)
<a href="#">S&amp;W</a>	39, 59, 410, 439, 659, 669, 908, 910, 1006, 1066, 3913, 3913L, 3913TSW, 3914, 3953, 3953STSW, 4006, 4043, 4046, 4013TSW, 4053TSW, 4513TSW, 4553TSW, 457, 4506, 4566, 4586, 5904, 5906, 5946, 6906, 6946  SW99, M&P9, M&P357, M&P40  (Any DAO or DA/SA revolver with a barrel length of up to 5" is approved)
<a href="#">SARSILMAZ</a>	Kilinc 2000, Kilinc 2000 Light, Hancer 2000, Hancer 2000 Light
<a href="#">SIG</a>	P220, P220-1, P225, P228, P229, P239, P250DCc, P2009, SPC2009, SP2022, SP2340  P226, P226ST, P226 Sport II SL ohne Schiene, P226SL, P226SL Black, P226 Xpress, P226 X-Five Allround, P226 X-Five Tactical (not SAO version), P226R DAK, P226DAO, P226R, P226R Two Tone, P226 SAS, P226 Blackwater, P226 Equinox, P226 Stainless, P226 AL-SO, P226 SL-SO, P226 Sport Stock, P226 X-Five SO (SA/DA version only)  (Also P220, P229, P239 equivalents of approved P226 models with maximum 5" barrel length)  Not Approved: P220 X-Zone, P220 Sport, P226 Navy, P226 HSP, P226 Sport, P226 Sport II SL mit Schiene, P226 X-Five, P226 X-Five Competition, P226 X-Six, P226R Crimson Trace
<a href="#">SIGMA</a>	Compact SW9V, SW40W, SW40VE, SW9VE, SW9M, SW40F, SW40C, SW9F, SW9C
<a href="#">SPHINX</a>	2000 Series (S, P, PS and H models), 3000 Tactical Series (Stainless, Carry, Police, Titanium) 3000 Compact Series (Stainless, Carry, Police, Titanium) 3000 Standard Series (Police, Titanium, "Competition Production Model 2005") 3000 Standard Series (Stainless, Target)
<a href="#">SPRINGFIELD</a>	P9, XD (except ported models)
<a href="#">SPS</a>	Compact (SP II, SP II Plus, SP III)  Police Compact (SPII, SPII Plus, SP3)

<a href="#">STAR</a>	Megastar, M30, Ultrastar
<a href="#">STEYR</a>	M-A1, M9, S9, M40, S40
<a href="#">TANFOGLIO</a>	<p>Force 38, Force 38F Carry, Force 38F, Force 38L, Force 40, Force 40F Carry, Force 40F, Force 40L, Force 40R Carry, Force 40R, Force 45, Force 45F Carry, Force 45F, Force 45L, Force 45R Carry, Force 45R, Force 921, Force 921F Carry, Force 921F, Force 921L, Force 921R Carry, Force 921R, Force 99, Force Compact 40, Force Compact 45, Force Compact 921, Force Pro, GT10, GT21 Baby, GT21 Combat, GT21, GT23, GT40 Baby, GT40 Combat, GT40, GT45, P19 Combat, P19 Standard, P19L, P21 Combat, P21L, P23, P23L, P38L, P40 Compact, P40, P40F, P40FB, P40L, P40R, P41, P45, P45L, T94F, T94R, T95F Stock, T95F, T95R, T96F, T96R, T97F, T97L, T97R, TA10 Compact, TA10, TA40FB, TA45 Compact, TA45, TA90 XL2, XL4, Stock, Stock II, L, Combat Sport, TZ-75 C90, Limited PRO</p> <p>(Stock Custom model is NOT approved for Production Division)</p>
<a href="#">TAURUS</a>	<p>PT92, PT911, PT99, PT940, PT945, P945 (except "C" models), PT100, PT101, PT111, PT140, PT145, PT921, 827, M66, 817, 24/7 (barrel length up to 5").</p> <p>The 24/7 Pro models are not approved for Production Division.</p> <p>Any DAO or DA/SA revolver with a barrel length of up to 5" is approved.</p>
<a href="#">VEKTOR</a>	SP1, SP2 (not Single Action), Z88
<a href="#">WALTHER</a>	P5, P38, P88, P99, P99QA, P99C, P99DAO, P99AS (and compact versions of these models)
<a href="#">WITNESS</a>	<p>Witness Steel, Witness Polymer, Witness P Carry, Witness Elite Stock (and subcompact versions)</p> <p>(Witness Carry Comp, Gold, Silver and Limited versions are not approved)</p>
<a href="#">ZASTAVA</a>	CZ99